

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014

Brand	JGN	
Model	SJ 1158-60 HV	
Annual Energy Consumption (AEC _{hood})	kWh/a	69
Energy Efficiency Class		C
Fluid Dynamic Efficiency (FDE _{hood})		12,8
Fluid Dynamic Efficiency Class		E
Lighting Efficiency (LE _{hood})	lux/W	49
Lighting Efficiency Class		A
Grease Filtering Efficiency (GFE)	%	60
Grease Filtering Efficiency Class		E
Air Flow at minimum speed in normal use	m ³ /h	190
Air Flow at maximum speed in normal use	m ³ /h	416,1
Air Flow in use intensive or boost setting	m ³ /h	
Acoustic Power emission in normal use at minimum speed	dB	58
Acoustic Power emission in normal use at maximum speed	dB	64
Acoustic Power emission in boost mode	dB	-
Power Consumption in off mode (Po)	W	0
Power Consumption in standby mode (Ps)	W	-
Integration Directive EU 66/2014		
Time Increase Factor (f)		1,5
Energy Efficiency (EEI _{hood})		83,5
Airflow at best efficiency point (Q _{BEP})	m ³ /h	216,6
Pressure at best efficiency point (P _{BEP})	Pa	256
Electric power input at the best efficiency point (W _{BEP})	W	120
Electric power input for lighting system (W _l)	W	2
Average illuminance on the cooking surface (E _{middle})	lux	98