Product data sheet for household cooker hoods a			
Brand			
Model	SJ 3173-90 SR	SJ 3173-90 SR	
Annual Energy Consumption (AEC hood	kWh/a	51	
Energy Efficiency Class		А	
Fluid Dynamic Efficiency (FDE hood)		30.0	
Fluid Dynamic Efficiency Class		А	
Lighting Efficiency (LE hood)	lux/W	33	
Lighting Efficiency Class		А	
Grease Filtering Efficiency (GFE)	%	82	
Grease Filtering Efficiency Class		С	
Air Flow at minumum speed in normal use	m³/h	205	
Air Flow at maximum speed in normal use	m³/h	720.0	
Air Flow in use intensive or boost setting	m³/h	-	
Acustic Power emission in normal use at minimum speed	dB	53	
Acustic Power emission in normal use at maximum speed	dB	65	
Acustic Power emission in boost mode	dB	-	
Power Consumption in off mode (Po)	W	0	
Power Consumption in standby mode (Ps)	w	0.5	
Integration Directive	EU 66/2014		
Time Increase Factor (f)		0.9	
Energy Efficiency (EEI hood)		51.0	
Airflow at best efficiency point (QBEP)	m³/h	421.0	
Pressure at best efficiency point (PBEP)	Pa	394	
Electric power input at the best efficiency point (WBEP)	W	150	
Electric power input for lighting system (W _L)	W	4	
Avarage illuminance on the cooking surface (E middle	lux	132	